

CBVRCE Ventilation Reporting Summary

School Name	System Type (Active or Natural)	Inspection completed by end of Aug 31, 2025 (Yes or No)	Maintenance Complete? (Yes / No / N/A)	System Operating as Intended? (Yes or No)
Baddeck Academy	Active	Yes	Yes	Yes
Boularderie Elementary	Active	Yes	Yes	Yes
Bras D'Or Elementary	Active	Yes	Yes	Yes
Breton Education Centre	Active	Yes	Yes	Yes
Brookland Elementary	Active	Yes	Yes	Yes
Cabot Education Centre	Active	Yes	Yes	Yes
Cape Smokey Elementary	Active	Yes	Yes	Yes
CBVRCE Adult School	Natural	Yes	Yes	Yes
Coxheath Elementary	Active	Yes	Yes	Yes
Cusack Elementary	Active	Yes	Yes	Yes
Donkin School	Active	Yes	Yes	Yes
Dr TL Sullivan School	Active	Yes	Yes	Yes
Ferrisview Elementary	Active	Yes	Yes	Yes
Glace Bay Elementary	Active	Yes	Yes	Yes
Glace Bay High School	Active	Yes	Yes	Yes
Greenfield Elementary	Active	Yes	Yes	Yes
Harbourside Elementary	Active	Yes	Yes	Yes
John Bernard Croak VC Elementary	Active	Yes	Yes	Yes
Jubilee Elementary	Active	Yes	Yes	Yes
Malcolm Munroe Middle School	Active	Yes	Yes	Yes
Marion Bridge Elementary	Natural	Yes	Yes	Yes
Memorial High School	Active	Yes	Yes	Yes
Middle River Elementary	Natural	Yes	Yes	Yes
Mountainview Elementary	Active	Yes	Yes	Yes
North Highlands Elementary	Active	Yes	Yes	Yes
Oceanview Education Centre	Active	Yes	Yes	Yes
Rankin School of the Narrows	Active	Yes	Yes	Yes
Riverside School	Active	Yes	Yes	Yes
Riverview High School	Active	Yes	Yes	Yes
Robin Foote Elementary	Active	Yes	Yes	Yes
Sherwood Park Education Centre	Active	Yes	Yes	Yes
Shipyard Elementary	Active	Yes	Yes	Yes
St Anne's Elementary	Active	Yes	Yes	Yes
Sydney Academy	Active	Yes	Yes	Yes
Sydney Mines Middle School	Natural	Yes	Yes	Yes
Sydney River Elementary	Active	Yes	Yes	Yes
Tompkins Elementary	Natural	Yes	Yes	Yes
Whitney Pier Memorial Middle School	Active	Yes	Yes	Yes